DEPARTMENT OF THE AIR FORCE



WASHINGTON, DC

1 8 AUG 2003

SAF/IEI 1665 Air Force Pentagon Washington DC 20330-1665

The Honorable Joel Hefley Chairman, Subcommittee on Readiness Committee on Armed Services House of Representatives Washington DC 20515-6035

Dear Mr. Chairman

The Department of Air Force submits notification of the attached Operation and Maintenance (O&M) repair project that exceeds \$10M. This parking ramp repair project supports the currently assigned KC-135 aircraft at Forbes Field, Kansas and is critical to their safe operation. Several studies have concluded that the replacement of the concrete ramp is the most cost effective solution for correcting the deteriorated aircraft parking ramp. This repair project will replace the aircraft parking ramp at a cost of \$10.2M. Funding for this project has been identified in the FY04 Sustainment, Restoration and Modernization (SRM) budget.

A similar letter has been sent to the Ranking Minority Member of your Subcommittee.

Sincerely

Deputy Assistant Secretary of the Air Force

(Installations)

Attachment:

DD Form 1391, Project Number GUQE002101

1. COMPONENT						2.	DATE		
		FY 2004 MILITARY CO	NSTRUCTI	ON PRO	OJECT DA	ТА			
ANG	(computer generated)								
3. INSTALLATION AND LOCATION					4. PROJECT TITLE				
FORBES FIELD, KANSAS					REPAIR AIRCRAFT PARKING RAMP				
5. PROGRAM ELEMI	ENT	6. CATEGORY CODE	7. PROJEC	CT NUN	MBER 8. PROJECT COST(\$000)				
52278F		113-321	GU	QE0021	01 \$10,200				
9. COST ESTIMATES									
41,000						UNIT	COST		
ITEM			U/M	QUANTITY	COST	(\$000)			
REPAIR AIRCRAFT PARKING RAMP				SY	136,500		8,639		
REPAIR FULL DEPTH AIRCRAFT PARKING RAMP				SY	40,000	105	(4,200)		
REPAIR PARTIAL DEPTH AIRCRAFT PARKING RAMP				SY	96,500	46	(4,439)		
SUPPORTING FACILITIES							200		
REPLACE RAMP LIGHTING				LS	1	1	(100)		
IMPROVE WATER ENTRAPMENT				LS	1		(50)		
REPAIR FUEL HYDRANTS				LS	1		(50)		

10. Description of Proposed Construction: Repair would involve some full depth and some partial depth replacement of existing pavement, to include proper subgrade preparation and subsurface drainage control. Replace grounding points and paint ramp as required. Replace ramp lighting and associated electrical service. Improve fuel spill capabilities by creating airfield storm water retention pond.

11. REQUIREMENT: 150,000 SY ADEQUATE: 13,500 SY SUBSTANDARD: 327,920 SY PROJECT: Repair Aircraft Parking Ramp

<u>REQUIREMENT</u>: The 190 ARW mission requires airfield pavement capable of safely supporting operations by KC-135 aircraft.

CURRENT SITUATION: The existing pavement was constructed in 1956-1958, and is approaching 50 years of use. The Portland Cement Concrete (PCC) pavement was repaired over 10 years ago with an Asphaltic Cement Concrete (ACC) overlay to extend the life of the pavement. The pavement is now cracked and failing, producing increasing amounts of debris which can potentially cause serious FOD damage to the aircraft. The majority of the cracks in the surface are un-sealed and water can enter the pavement structure through the open cracks and cause additional damage. The PCI ratings for these pavement features range from 58 to 16. The existing parking area configuration offers a tremendous amount of flexibility for accomodating the wide variety of military aircraft that use this airfield for various reasons. The current parking arrangement also provides optimum operational efficiency for aircraft maintenance and generation. The existing fuel hydrant layout is a tremendous asset for the refueling mission. It would be extremely costly to rebuild this fuel system in any kind of different arrangement. The existing pavement subgrade is a native tight clay soil. This soil does not drain well, so water that gets below the pavement surface stays there, continuing to cause pavement deterioration as it goes through the extreme weather cycles.

IMPACT IF NOT PROVIDED: The longer this work is delayed, the more extensive the repair will be. If water and weather continue to damage the pavement, the potential for damage to aircraft will increase. The cost of damage to aircraft engines caused by pavement debris could easily exceed the cost of necessary pavement repairs.

8,839

884

 $\frac{486}{10,209}$

10,200 (10,200)

SUBTOTAL

REPAIR

CONTINGENCY (10%) TOTAL CONTRACT COST

TOTAL REQUEST (ROUNDED)

TOTAL REQUEST

SUPERVISION, INSPECTION AND OVERHEAD (5%)

1 00 00 00		10 77 :	TELE						
1. COMPONENT		2. DA	IE						
ANG	FY 2004 MILITARY CONSTRUCTION PROJECT DAT	A							
ANG	(computer generated)	L							
3. INSTALLATION									
FORBES FIELD, KANSAS									
5. PROJECT TITLE	7. PROJECT NU	MBER							
REPAIR AIRCRAFT	ATTO TO								
(DDIME)	GUQE002								
ADDITIONAL: This project has been generated as a result of an April 2001 airfield pavement									
condition survey of the airfield pavement at Forbes Field by the ANG/CE Pavement Maintenance									
Management Team. This project only repairs the aircraft ramp that supports the currently assigned									
aircraft.									
•									